







TRAVEL PLAN



CORPORATE
TRAVEL

• organizarea
... ..





















МАЛИ САЛОН
MALI SALON

MEXiA

НЕСКИ ДВОР































БАНСКИ ДВОР

























*Paradigms of psychiatry
1750 - 1950*

- 1750 - 1800: The asylum age and the birth of psychiatry
- 1800 - 1850: The asylum age and the birth of psychiatry
- 1850 - 1900: The asylum age and the birth of psychiatry
- 1900 - 1950: The asylum age and the birth of psychiatry
- 1950 - 2000: The asylum age and the birth of psychiatry
- 2000 - 2050: The asylum age and the birth of psychiatry
- 2050 - 2100: The asylum age and the birth of psychiatry
- 2100 - 2150: The asylum age and the birth of psychiatry
- 2150 - 2200: The asylum age and the birth of psychiatry
- 2200 - 2250: The asylum age and the birth of psychiatry
- 2250 - 2300: The asylum age and the birth of psychiatry
- 2300 - 2350: The asylum age and the birth of psychiatry
- 2350 - 2400: The asylum age and the birth of psychiatry
- 2400 - 2450: The asylum age and the birth of psychiatry
- 2450 - 2500: The asylum age and the birth of psychiatry
- 2500 - 2550: The asylum age and the birth of psychiatry
- 2550 - 2600: The asylum age and the birth of psychiatry
- 2600 - 2650: The asylum age and the birth of psychiatry
- 2650 - 2700: The asylum age and the birth of psychiatry
- 2700 - 2750: The asylum age and the birth of psychiatry
- 2750 - 2800: The asylum age and the birth of psychiatry
- 2800 - 2850: The asylum age and the birth of psychiatry
- 2850 - 2900: The asylum age and the birth of psychiatry
- 2900 - 2950: The asylum age and the birth of psychiatry
- 2950 - 3000: The asylum age and the birth of psychiatry



Paradigms of psychiatry 1750 - 1950

- 1750: European nations gave and gave the treatment
- 1800: Psychiatry gets to work, to show to work and the treatment
- 1850: Psychiatry gets to work, to show to work and the treatment
- 1900: Psychiatry gets to work, to show to work and the treatment
- 1950: Psychiatry gets to work, to show to work and the treatment







ABIZOL
inženjering 3d - 3D - Design



izvanredna tehnologija i inovativnost
nova generacija
perspektiva

MEXiA
izvanredna tehnologija

Ne dozvolite da vas...



izvanredna tehnologija i inovativnost
perspektiva

esram
izvanredna tehnologija

K
NO





ABiZOL

antipirazin 5+10+25mg

POLARNOS POREMECKA
generacija
perspektiva!





trigin)
iti se...

ZEPIRA

ashtalopram

Tregona D

Sačuvajmo
ljubav i uspome











REZERVISANO/PRESERVED
WPA ZONE 9 MEETING

JURIC

ORAGAN

KUČUKA



REZERVISANO/RESERVED
WPA ZONE 9 MEETING











Stojan Bajraktarov
Makedonija









ВАНЧАН ЗАП















Serpentil[®]

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

Indolizolone de sodiu

FARMAVITA
strategie in prima mano







Afzal Iqbal
Velika Britanija



IV KONGRES PSIHIJATARA
BOSNE I HERCEGOVINE

Beograd, 10. - 12. oktobra 2010.

БАНСКИ ДВАР











Biopsihijatrija

- Biopsihijatrija (biopsihijska psihijatrija) je klinička disciplina koja se bavi istraživanjem i lečenjem bolesnih psihičkih i somatskih poremećaja.
- Biopsihijatrija je jedna od najstarijih i najrazvijenijih kliničkih disciplina u psihijatriji.
- Biopsihijatrija se bavi istraživanjem i lečenjem bolesnih psihičkih i somatskih poremećaja.

Dr. sc. Miroslav Babić, psihijatar
Dr. sc. Miroslav Babić, psihijatar
Dr. sc. Miroslav Babić, psihijatar

GRADSKA ZBORA






БАНСКИ ДВОР



































Miroslav Jakovlj-Galić,
Srbija

Miroslav Jakovlj-Galić,
Srbija













*Even Singapore is reluctant to grant enough to The Firm to ensure an addition has been
imposed by*



ALKALOID

Unifarm















БАНСКИ ДВОР

A woman with short brown hair, wearing a patterned jacket over a light blue shirt, is speaking at a podium. The podium has a sign that reads "БАНСКИ ДВОР" in gold Cyrillic letters. On the podium, there is a microphone, a water bottle, and a glass. To the right of the speaker, there is a large, ornate floral arrangement with yellow and white flowers. The background is dark and features ornate architectural details.





Prof. dr. sc. Ninoslav Mimic
Klinika za psihijatriju Vrapče
Medicinski fakultet Sveučilišta u Zagrebu


















БАНСКИ ДВОР

Michael Rothbarth
Pravnik



Stranica 20 od 20
TEHNOLOGIJE...
MEDICINSKE...
EVOLUCIJE...
Budući svet i ekonomija...
Sporovi...
Konačno...

САНКЦИЈА ЗАП





2. Svjetska psihijatrijska asocijacija
WPA i UPUBH



Kontinuitet članstva UPUBH redovitim
plaćanjem godišnje članarine u WPA. Čine je i
svaki član UPUBH automatski i član WPA

Davanje mišljenja UPUBH u aplikacijama drugih
asocijacija, udruženja u WPA status punopravnih
ili pridruženih članova te nalaze svjetske
psihijatrijske organizacije



CRS 2018





Intelektualni vlasništvo (patenti) (AI/ML) (AI/ML)

Algoritmi (algoritmi)

Neuroznanost može dovesti i do značajnih promjena u
psihijatriji, novih subspecijalizacija, ali i do izdvajanja
neke ekskluzivne psihijatrijske bolesti iz psihijatrije i
druge pod druge specijalizacije.

Individualni, kreativni pristup liječenju

БАНСКИ ДВОР

SOCIJALNA PSIHIJARIJA
NEKAD I DANAS

Prof.dr.sc. Veljko Đurđević

Banja Luka, 17.11.2017.
4. Kongres psihijatrije BiH

EVANGELIJE





Neurobiološka osnova odnosa liječnika i bolesnika



Prof. dr. sc. Marijana Babić, dr. med.
KLINIK ZA PSIHOLOŠKU MEDICINU, KBC ZAGREB
MEDICINSKI FAKULTET SVEUČILIŠTA U ZAGREBU

19.09.2017.

GRADSKA ZGRADA



Marijana Babić
Predsjednica

CEPAMET (rujan, 2010)



БАНСКИ ДЕБОР







Creative psychopharmacotherapy vs. Toxic psychiatry

- Pharmakon: remedy & poison
- Pharmakos: magician, sorcerer
- Pharmakos: scapegoat
- Creative psychopharmacotherapy: when a pharmacist/magician applies a pharmakon that acts as a successful remedy
- Toxic psychopharmacotherapy/psychiatry: when a pharmacist/sorcerer applies pharmakon that acts as a poison /poison as a scape goat

CONFERINȚA DE ȘTIINȚĂ





Creative psychopharmacotherapy vs. Toxicology

- Pharmacokinetics: remedy & poison
- Pharmacokinetics: magician, sorcerer
- Pharmacokinetics: escape route
- Creative psychopharmacotherapy: when a pharmacokinetic magician applies a pharmacokinetic that acts as a successful remedy
- Toxic psychopharmacotherapy/psychiatry: when a pharmacokinetic magician applies pharmacokinetics that acts as a poison - patient as a scape goat



Miroslava Jašović-Gašić
Srbija



GOALS, cont.

The role of the neurotransmitters and neuropsychological approach to the perception of the disorder

The project "Diagnosis in schizophrenia"

Efficacy, tolerability, utilization & pharmacoeconomics of second generation antipsychotics (SGA).

The new formulations of atypical antipsychotics, patient satisfaction, and attitude towards the treatment

Neuroendocrine and metabolic changes in the pathogenesis of schizophrenia associated with the implementation of SGA

CONFERINȚA ZEP











Izet Pajević, Nermina Kravić,
Zihnet Selimbasić, Almira Bajdarević

БАНСКИ ДВОР

DA KAZVITA BOLEST U PERIODU KADA SE
GLUČU U PORODIČNE AKTIVNOSTI VEŽANE
STRUKHALAOM SITUACIJU, KAO ŠTO SU
PREMANJE KUĆE I POMAGANJE U
KUĆI JE BILU PREDUČAVANO DA JE
DVE, IER JE OČEKUJE ULOGA MAJKE I
POTU. TAKODE, OTAC JE HODORAO
KIM SA DRUGARICAMA NA ZABAVU BI
DA JE" ORA DUKVOJICA I DA NIE
ATNIE U BEBA KODRINE I DE NA TAJVA

JE IVANA SVOJIM SIMTOMIMA DOBIVAJA
HSE, KAZVUKUJO DUBOKO
KAVUČUŠEĆI KAZVUUVENJA ŠTO JE
KAZVUKUJO, KAO ŠTO JE BAST OJUMI

САНСКИ ДЕО



САНКТ-ПЕТЕРБУРГ













Is this cat going



up

or

down?









Andrej Kastelic
Slovenija

© 2004 The McGraw-Hill Companies



TELEFONO

[illegible]

[Illegible text]

POJAVNOST UPORABE U SREDNJOŠKOLSKIM

Marija Lukić, lektorica
Katedre za hrvatski jezik i književnost, Sveučilište u Zagrebu

[illegible]

Op
Nacht poveren uwe poverheid niet te vergeten



TABLE 1. A summary of the results of the regression analysis

Metode
Istraživa se provodilo među članovima Društva medicinskih sestra. U istraživanje je bilo uključeno 138 ispitanika, što je 100% zaposlenih istraživača koje istražuje specijalni odjel za opstetrickim ginekologijom. U istraživanju su učestvovali i drugi članovi

[illegible]





Procjena spremnosti na promenu kod opijatskih zavisnika

Radovi su izvedeni u okviru projekta "Istraživanje opijatske zavisnosti i spremnosti na promenu" financiranog iz sredstava Ministarstva zdravstva Republike Srbije.

Uvod
Opisane su karakteristike opijatske zavisnosti kao kronične bolesti, koja se razvija u skladu s mehanizmom neurobioloških procesa. Zavisnici su podložni relapsima, što zahtijeva kontinuiranu podršku i nadzor. Cilj istraživanja je procijeniti spremnost na promenu kod opijatskih zavisnika i utvrditi faktore koji na nju utječu.

Metodologija
Istraživanje je provedeno na kliničkoj bolnici za opijatske zavisnike. Uključeno je 100 zavisnika, koji su bili pod nadzorom liječnika. Podaci su prikupljeni kroz anketu i razgovore s liječnicima. Statistička obrada podataka izvršena je pomoću SPSS programa.

Rezultati
Rezultati istraživanja pokazuju da većina zavisnika ima visoku spremnost na promenu. Najveći broj zavisnika je spremno prihvatio terapiju i podršku. Također, utvrđeno je da postoji značajna razlika u spremnosti na promenu između zavisnika koji su bili pod nadzorom liječnika i onih koji nisu.



Rezultati
Rezultati deskriptivne statistike pokazuju da se ispitanici najčešće pojavljuju na kliničkoj bolnici zbog opijatske zavisnosti. Najveći broj ispitanika je iz Srbije, a najmanji broj iz drugih zemalja. Također, utvrđeno je da postoji značajna razlika u spremnosti na promenu između zavisnika koji su bili pod nadzorom liječnika i onih koji nisu.

	Al	BD	Emen	Aspa	Čedra
Preval	0.00	0.070	-0.000	-0.000	-0.000
Preval	0.00	0.000	0.000	0.000	0.000
Preval	0.00	0.000	0.000	0.000	0.000
Preval	0.00	0.000	0.000	0.000	0.000

Metodologija
Istraživanje je provedeno na kliničkoj bolnici za opijatske zavisnike. Uključeno je 100 zavisnika, koji su bili pod nadzorom liječnika. Podaci su prikupljeni kroz anketu i razgovore s liječnicima. Statistička obrada podataka izvršena je pomoću SPSS programa.

Tretman

Uvod

Ovisnost kao sociopatološko stanje, koje se razvija u skladu s mehanizmom neurobioloških procesa. Zavisnici su podložni relapsima, što zahtijeva kontinuiranu podršku i nadzor. Cilj istraživanja je procijeniti spremnost na promenu kod opijatskih zavisnika i utvrditi faktore koji na nju utječu.

U provedenju istraživanja sudjelovali su stručnjaci iz područja psihologije, socijalne psihologije i opće psihologije.

Duljina zaštitne mjere obaveza se akcentom na psihosocijalnu podršku i nadzor. Cilj istraživanja je procijeniti spremnost na promenu kod opijatskih zavisnika i utvrditi faktore koji na nju utječu.

Metodologija

Istraživanje je provedeno na kliničkoj bolnici za opijatske zavisnike. Uključeno je 100 zavisnika, koji su bili pod nadzorom liječnika. Podaci su prikupljeni kroz anketu i razgovore s liječnicima. Statistička obrada podataka izvršena je pomoću SPSS programa.

Cilj

Cilj istraživanja je bio prikazati rezultate istraživanja o spremnosti na promenu kod opijatskih zavisnika. Također, utvrđeno je da postoji značajna razlika u spremnosti na promenu između zavisnika koji su bili pod nadzorom liječnika i onih koji nisu.

Rezultati

U periodu od 2014 do 2017 godine istraživanje je provedeno na kliničkoj bolnici za opijatske zavisnike. Uključeno je 100 zavisnika, koji su bili pod nadzorom liječnika. Podaci su prikupljeni kroz anketu i razgovore s liječnicima. Statistička obrada podataka izvršena je pomoću SPSS programa.

Broj pa	Duljina tr
Pacijenata	mjer
0	0
1	0
2	0



PSIHOTIČNA STANJA IZAZVANA PSIHOAKTIVNIM SUPSTANCAMA - DA ILI NE- PRIKAZ SLUČAJA



PRIKAZ SLUČAJA

KARAKTERISTIKE OSOBA ZAVISNIH OD ALKOHOLA U OBLASTI LESH-OVU TIPOLOGIJU

OSI	OSII	OSIII
Alkoholizam	Alkoholizam i narkotikomanija	Narkotikomanija









USPOREDBA VRSTE SUPSTITUCIJSKOGA LUKENJA I ITALIJAN APERTURE

NAŠA ISKUSTVA

Marko Berčević, Jelka Stokich, Alenka Šturm, Alenka Šturm
Centar za preventivnu i zdravstvenu zaštitu djece i odraslih
Centar za preventivnu i zdravstvenu zaštitu djece i odraslih
Centar za preventivnu i zdravstvenu zaštitu djece i odraslih
Centar za preventivnu i zdravstvenu zaštitu djece i odraslih
Centar za preventivnu i zdravstvenu zaštitu djece i odraslih

Uvod:
U Centru za preventivnu i zdravstvenu zaštitu djece i odraslih (CZD) provedeno je istraživanje o uporabi supstitucijskog lukenja i italijanske aperture u praksi. Cilj istraživanja je utvrditi razlike u uporabi između supstitucijskog lukenja i italijanske aperture u praksi.

Cilj:
Cilj je istraživanja bio utvrditi razlike u uporabi supstitucijskog lukenja i italijanske aperture u praksi.

Metode:
Istraživanje je provedeno u obliku ankete. Anketa je bila anonimna i sastojala se od 10 pitanja. Anketa je bila provedena u razdoblju od 1. do 31. prosinca 2019. godine.

Rezultati:
Rezultati istraživanja su prikazani u obliku grafičkih prikaza. Grafički prikazi su prikazali razlike u uporabi supstitucijskog lukenja i italijanske aperture u praksi.







- ▶ Starija i
- ▶ Primarni
- ▶ hospital
- ▶ Vidove
- ▶ Terapijski

Aleksandar Janković

Aleksandar Janković

Aleksandar Janković
Ministarstvo zdravlja









TEMPERAMENTA I

dr. Dražen

Klinički c
Klinika
Odeljenje z















































BANSKI DVOR
CITY OF BANJA LUKA









РАДНО ВРЕМЕ
8"-12"
ПОДМАСТИ И ПРАВИЛА
9"-13"

БАНСКИ



ЉУБОМИР ЈЕЛИЋ
(1883-1974)

ПРЕДСТАВЉАЊЕ

УЧЕШЋЕ У КУЛТУРНОМ НАСТАВЉАЊУ

DEMONOLOŠKI PRISTUP

ženje

- Srednjevjekovna Evropa
duševnih oboljenja sves
- «dugi mračni srednji vijek»
demonološki pristup svim
poremećajima, a samim tim i
«maštovite» inkvizitorske i
tehničke liječenja (mačanje
Maleus malificarum
teologa, na 80









vida kao negativni simptom

"Mental withdrawal"

m dezorganizacije:

ivna dezorganizacija, deficit apstraktnog
enja remeti porađenje sa primordijalnim
funkcionisanjem"





SHIZOFRENIJA I DEPO
PREPARATI ANTIPSIHOTIKA

18.11.2017

САНКТ ПЕТЕРБУРГ







Upotreba QUANDRY®-a u svakodnevnoj kliničkoj praksi



11. KONGRES PSIHIJATARA
BOSNE I HERCEGOVINE
18-20. Oktobra 2017.

11 CONGRESS OF PSYCHIATRISTS
OF BOSNIA AND HERZEGOVINA
18-20. Oktobra 2017.



BANCKI DVAR























































"Psychiatry and Mental Health"

Co
Mental Health
Dr

Michel Botbol
Francuska

Nenja Trudi Radović
Bosna i Hercegovina



Depression

- Mood Repair
- Outdoor activities
- Healthy food
- Omega 3 fish
- Music Lessons
- Reading
- Cross words & p





Nera Zivlak-Radulović
Bosna i Hercegovina

A woman with short dark hair and glasses, wearing a black jacket with white trim, sits at a dark table. In front of her is a microphone and a glass of water. To her right is a large, vibrant floral arrangement featuring pink roses, white daisies, and yellow lilies. Behind her, the Serbian flag and the flag of the Federation of Bosnia and Herzegovina are displayed against a light-colored wall with ornate architectural details and a warm, glowing light source.

simbolička bolest
rogom i stalnim
posljedice po sebe
ma kriminogena
antisocijalnom
aju ličnosti".
(1966.)

БАНСКИ ДВАР



INTERNET ZAVISNOST KOD
POPULACIJE STUDENATA
MEDICINSKOG, EKONOMSKOG I
PRAVNOG FAKULTETA U
BANJALUCI

INTERNET ADDICTION IN THE POPULATION OF STUDENTS
OF MEDICAL, ECONOMIC, AND LAW FACULTY IN BANJA LUKA

PHD. DR. SC. DR. MED.
DR. LUKA B. BEDIĆ

Klinika za psihijatriju
Klinički bolnički centar u Banja Luci





Oxytocin – importance for
psychiatric disorders and their
treatment

Mr.sci.dr Sabina Kućukalić
KCUS Sarajevo









[illegible]

Zaključek: Plazemski koncentraciji digoksinuma v tej seriji raziskovanja (vključno s pranjem plazme) digoksinomatskega učila ne kaže, da bi trajala (vsebnost) povečanje koncentracije, ali pa ne postavlja nobene diagnoze ogradnje koncentracije od normalnosti. To so vsebnosti digoksinatske oblike ali pa postavlja črto za sledi brez da bi bilo ali drugače vseh koncentracij.

13. de Boer, A. de Boer, J. & de Boer, J. (2005) *Psychiatric consequences of the 1994-1995 Dutch famine*. In: *Journal of the American Academy of Child and Adolescent Psychiatry* 44: 100-105.





Marija Burgić-Radmanović
Bosna i Hercegovina

Mira Spremo
Bosna i Hercegovina



Components of the Phase 1 (2019-2024)
(Project of Mental Health in Romania)





IV KONGRES PSIHIJATARA BOSNE I HERCEGOVINE

Polimnija i prevodna odbojna odbojna i prevodna
Bani Luka, 16 - 18. novembra 2015.

БАНСКИ ДВАР



Uticaj korisnika usluga na
razvoj CM

Dr. sc. Zvezdana
Bosnjak, M.D.

Novi Sad, 12. Oktobra 2017.





БАНСКИ ДВАР







Marija Burgić-Radmanović,
Bosna i Hercegovina

Mira Sprenko,
Bosna i Hercegovina

